

TKSA 41

Shaft alignment tool



The TKSA 41 has two wireless measurement units, large sized detectors and powerful lasers. The instrument performs precise measurements in even most challenging industrial environments. The easy to use display device helps users to quickly check and correct shaft alignments and improve the machine performance and reliability.

- Intuitive touch display device for usage in industrial environments
- Wireless measuring units allow easy handling and more measurement flexibility
- Measurement positions can be chosen freely and only 90° shaft rotation is required.
- Live view supports all alignment measurements and corrections
- Automatic alignment reports are saved in the machine library and can be customised with notes, pictures and QR code. All reports can be exported as pdf.
- The built-in camera allows pictures to be taken for reports. Machine identification with automatic QR code identification and machine pictures in the library.

Overview

Dimensions

Maximum coupling height	105 mm
Maximum coupling height with extension	195 mm
Total product weight	5.33 kg

Properties

Alignment methods	3 position measurement 9 -12 -3;Automatic measurement;Free measurement (only 90° shaft rotation needed)
Recommended applications	Horizontal shafts;Soft foot
Live correction values	Vertical and horizontal values
Special features	Machine library;Built-in photo camera;QR code reading;Screen orientation flip;Automatic .pdf report
Sensors	29 mm CCD;Inclinometer ±0.5°
Communications	Bluetooth 4.0 LE or wired with USB cables
Measurement distance	0.07 to 4 m

Measuring error (percent)	0.5 %
Material	Display unit: High impact PC/ABS plastic with over mould; Measurement units: glassfiber filled PC
Battery	Measuring units: rechargeable 2000 mAh LiPo batteries; Display unit: rechargeable 5000 LiPo battery
Battery life	8 h
Operating temperature range	0 – 45 °C
Display	5.6" colour resistive touchscreen LCD display
Software update	Via USB stick
Laser type	Red line
Mounting	2x V-brackets (width 21 mm) with chains
Shaft diameter	20 to 150 mm
Shaft diameter with extension	Up to 300 mm with optional extension chains (not included)
Power adapter	Input: 100V-240V, 50/60Hz AC with country adapters for EU, US, UK, AUS included; Output: DC 12V 3A
Degree of protection (IP)	IP 54
Certifications	Calibration certificate (2 years validity)
Part of a kit	no, but also available as TKSA 41/KIT360
Case dimensions (l x h x w)	530 x 110 x 360 mm (20.9 x 4.3 x 14.2 in.)
Content	Set of 2 Measuring units (M and S); Display unit; Set of 2 shaft brackets with chains 400 mm (15.8 in) and threaded rods 150 mm (5.9 in); Set of 4 threaded extension rods 90 mm (3.5 in); Chain tightening rod; Power supply with various country adapters; Set of 2 micro USB to USB cables; Measuring tape; Set of 2, A5 sheets with 6 QR code stickers per sheet (total of 12 stickers); Certificate of calibration and conformance; Quick start guide; SKF carrying case

Terms and conditions

By accessing and using this website / app owned and published by AB SKF (publ.) (556007-3495 - Gothenburg) ("SKF"), you agree to the following terms and conditions:

Warranty Disclaimer and Limitation of Liability

Although every care has been taken to assure the accuracy of the information on this website / app, SKF provides this information "AS IS" and DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. You acknowledge that your use of this website / app is at your sole risk, that you assume full responsibility for all costs associated with use of this website / app, and that SKF shall not be liable for any direct, incidental, consequential, or indirect damages of any kind arising out of your access to, or use of the information or software made available on this website / app. Any warranties and representations in this website / app for SKF products or services that you purchase or use will be subject to the agreed upon terms and conditions in the contract for such product or service. Further, for non-SKF websites / apps that are referenced in our website / app or where a hyperlink appears, SKF makes no warranties concerning the accuracy or reliability of the information in these websites / apps and assumes no responsibility for material created or published by third parties contained therein. In addition, SKF does not warrant that this website / app or these other linked websites / apps are free from viruses or other harmful elements.

Third Party Services

When viewing YouTube content via the SKF website(s) (i.e. using YouTube API Services), you agree to be bound by the YouTube Terms of Service.

Copyright

Copyright in this website / app copyright of the information and software made available on this website / app rest with SKF or its licensors. All rights are reserved. All licensed material will reference the licensor that has granted SKF the right to use the material. The information and software made available on this website / app may not be reproduced, duplicated, copied, transferred, distributed, stored, modified, downloaded or otherwise exploited for any commercial use without the prior written approval of SKF. However, it may be reproduced, stored and downloaded for use by individuals without prior written approval of SKF. Under no circumstances may this information or software be supplied to third parties.

This website / app includes certain images used under license from Shutterstock, Inc.

Trademarks and Patents

All trademarks, brand names, and corporate logos displayed on the website / app are the property of SKF or its licensors, and may not be used in any way without prior written approval by SKF. All licensed trademarks published on this website / app reference the licensor that has granted SKF the right to use the trademark. Access to this website / app does not grant to the user any license under any patents owned by or licensed to SKF.

Changes

SKF reserves the right to make changes or additions to this website / app at any time.